






































CCTV Price List				
#	Image	Model No.	Description	Price
Analog Cameras				
Box Camera				
1		GCA-B1302B	1/3" CCD Colour Camera, 650TVL, 12VDC/24VAC, High Sensitivity of 0,01 Lux, Lens Drive Type: Auto iris, Number of Privacy Zones 4,BLC.	1200
2		GCA-B1002B	1/3" CCD Colour Camera, 650TVL, 230VAC, High Sensitivity of 0,01 Lux, Lens Drive Type: Auto iris, Number of Privacy Zones 4,BLC.	1200
3		GCA-B1005B	1/3" CCD Colour/B&W Camera, 700TVL, WDR, 230VAC, Privacy Zone Masking, Remote Control Interface, High Sensitivity of 0,001 Lux, WDR function, Colour/B&W function with removable IR cut filter, Lens Drive Type: Auto iris, Number of Privacy Zones :15 , BLC.	1900
4		GCA-B1305B	1/3" CCD Colour/B&W Camera, 700TVL, WDR, 12VDC/24VAC, Privacy Zone Masking, Remote Control Interface, High Sensitivity of 0,001 Lux, WDR function, Colour/B&W function with removable IR cut filter, Lens Drive Type: Auto iris, Number of Privacy Zones :15 , BLC.	1900
Indoor Fixed Dome Cameras				
5		GCA-B4322D	1/3" CCD Fixed Dome Camera 2.8~12mm SOFT D/N 650L, 0,8Lux, Power Input AC24V/DC12V,Number of Privacy Zones: 4programmable zones, BLC.	1270
8		GCA-B4326D	1/3" CCD Fixed Dome Camera 2.8~12mm ICR 28 IR LED 700L, Power Input AC24V/DC12V, 0 Lux:Integrated LED IR Illuminator, Max. IR Distance 15/25 m,Number of Privacy Zones: 4 programmable zones, BLC.	1600
10		GCA-B4325D	1/3" CCD Fixed Dome Camera 2.8~10.5mm ICR WDR 700L, 0,7 Lux, Lens DriveType: Auto iris, Number of Privacy Zones: 15, Intelligent Video , OSD control port , built in service monitor port, BLC	1850
11		GCA-B3326D	1/3" CCD Fixed Dome Camera 2,8~11mm ICR 24 LED 750TVL, Power Input AC24V/DC12V, 0 Lux:Integrated LED IR Illuminator, Max. IR Distance 15/25 m,Number of Privacy Zones: 8 programmable zones, BLC.	2040
12		GCA-B4327D	1/3" CCD Fixed Dome Camera 2.8~10.5mm ICR 28 IR LED WDR 700L, 0Lux, Lens DriveType: Auto iris,power supply:12vDC,24vAC, Number of Privacy Zones: 15, OSD control port , built in service monitor port, BLC, Max. IR Distance:25 m.	2000
		GCA-H0325D	1.3 Megapixel HD Fixdome Camera 2.8~12mm ICR WDR IR 23 LED NEW	2200
Anti Vandal Fixed Dome Cameras				

17		GCA-B4323V	1/3" CCD VF Dome Camera 2.8~12mm ICR 700L, High Sensitivity of 0.1 Lux, Auto iris, Number of Privacy Zones4 , IP66 / IK10, Power Input AC24V/DC12V, BLC.	1850
18		GCA-B4326V	1/3" CCD VF Dome Camera 2.8~12mm ICR IR 28 LED 700L, 0 Lux, Power Input AC24V/DC12V, Max. IR Distance 30m,Number of Privacy Zones: 4 programmble zones,IP66 / IK10,BLC.	2000
22		GCA-B5326V	1/3" CCD VF Dome Camera 2,8~10.5mm ICR 28 IR LED 700L, smart IR control by adjust level, 0 Lux, Power Input AC24V/DC12V, Max. IR Distance 15/30m,Number of Privacy Zones: 15 ,Power Input AC24V/DC12V, IP66 / IK10,BLC.	2300
23		GCA-B4325V	1/3" CCD VF Dome Camera 2.8~10.5mm ICR WDR 700L, High Sensitivity of 0.7 Lux, Auto iris, Number of Privacy Zones 8 programmble zones, IP66 / IK10, Power Input AC24V/DC12V, BLC, remote control interface over co-axial.	2300
24		GCA-B5325V	1/3" CCD VF Dome Camera 9~22mm ICR WDR 700L, High Sensitivity of 0.7 Lux, Auto iris, Number of Privacy Zones 15 programmble zones, ,IP66 / IK10, Power Input AC24V/DC12V, BLC.	2400
25		GCA-B4327V	1/3" CCD VF Dome Camera 2.8~10.5mm ICR 28 IR LED WDR 700L smart IR, 0 Lux, Power Input AC24V/DC12V, Max. IR Distance 30m,Number of Privacy Zones: 155,IP66 / IK10,BLC.	2500
		GCA-C2357V	1/4" CCD VF Dome Camera AFZ lens 3.8~38mm ICR 28 IR LED 700L ext.adj NEW	3700
		GCA-H0325V	1.3 Megapixel HD Fixdome Camera 2.8~12mm ICR WDR IR 23 LED NEW	2700
Bullet Cameras with IR				
32		GCA-B2326T	1/3" CCD Sony 960H Ex-view HAD II Varifocal Camera 2.8~12mm 42 IR LED 700L ext. adj.,Auto iris, Motion detection,0 Lux, Power Input AC24V/DC12V, Number of Privacy Zones: 15, Max. IR Distance 30/45 m, IP66, BLC, Adjustment zoom and focus : External .	2560
34		GCA-B3326T	1/3" CCD Varifocal Camera 5~50mm ICR 42 LED 700L ext. adj.,Auto iris, Motion detection,0 Lux, Power Input AC24V/DC12V, Number of Privacy Zones: 15, Max. IR Distance 45/70 m, IP66, BLC, Adjustment zoom and focus : External .	3050
		GCA-H0325T	1.3 Megapixel HD Integrated Camera 2.8~12mm ICR WDR IR 23 LED NEW	2900
35		GCA-B2357T	1/4" CCD Camera with AFZ lens 3,8~38mm ICR 35IR LED xWDR 700L, zoom ratio 10X , Auto iris, Motion detection,0 Lux, Power Input AC24V/DC12V, Number of Privacy Zones: 8, Max. IR Distance 35/50 m, IP66, BLC, Adjustment zoom and focus : External .	4050
Analog Motorized Dome Cameras				
36		GCA-C0335P	Indoor Motorized Dome Camera 12x motorized optical zoom with 12x digital zoom, 650 TV Lines, High Speed Pan/Tilt (400°/sec), minimum speed (0.5°/sec), WDR function, Colour/B&W function with removable ICR Lens: 3.8 ~ 45.6 mm, Auto iris , Number of Privacy Zones 16, Number of Preset :256, Alarm Inputs: 8, Alarm Outputs: 1, BLC.	7150
37		GCA-C0345P	Indoor Motorized Dome Camera 36x Zoom ,WDR, 650 TV Lines, High Speed Pan/Tilt (400°/sec), minimum speed (0.5°/sec) , Colour/B&W function with removable ICR Lens: 3.4 ~ 122.4 mm, Auto iris , Number of Privacy Zones 16, Number of Preset :256, Alarm Inputs: 4, Alarm Outputs: 1, BLC.	10500






38		GCA-C0245P	Outdoor Motorized Dome Camera 36x Zoom ICR WDR , 650 TV Lines, High Speed Pan/Tilt (400°/sec), minimum speed (0.5°/sec), Colour/B&W function with removable ICR Lens: 3.4 ~ 122.4mm, Auto iris , Number of Privacy Zones 16, Number of Preset :256, Alarm Inputs: 8, Alarm Outputs: 1, BLC, IP66 / IK10	11750
Special Cameras				
		GPS-A0015A	Concealed camera with led lighting fixture NEW	18300
Digital Video Recorder				
39		GRA-D1104B	4-Ch Standalone DVR ,Storage Max. Expansion 2.5 TB, Audio Inputs :1 CH, RCA , Alarm Inputs :4 contact input Alarm Outputs : 1 Relay, Video Compression H.264, Recording Speed 100fps, 1 RS-485, 1 LAN, 2 USB 2.0, external backup: USB HDD, USB Memory,Network, FTP.	2717
41		GRA-D2208B	8-Ch Standalone DVR , Storage Max Expansion 5TB(2*2.5TB) , Audio Inputs :1 CH, RCA , Alarm Inputs :4 contact input N/O or N/C Alarm Outputs : 1 Relay, Video Compression H.264, Recording Speed 200fps, 1 RS-485, 1 LAN, 2 USB 2.0, external backup: USB HDD, USB Memory,Network, FTP.	4530
43		GDV-B2208A	8-Ch Standalone DVR with DVD-RW, Basic Internal Storage 1 TB , Storage Max. Expansion 8 TB, Audio Inputs :4 CH, RCA Audio Outputs: 1 CH, RCA , Alarm Inputs :/8 contact input N/O or N/C Alarm Outputs : 2 Relay, Video Compression H.264, JPEG, Recording Speed 200fps.	11170
44		GRA-D4416B	16-Ch Standalone DVR, Storage Max. Expansion 5 TB (2x2,5 TB SATA), Audio Inputs :4 CH, RCA Audio Outputs: 1 CH, RCA , Alarm Inputs :16 contact input N/O or N/C Alarm Outputs : 1 Relay, Video Compression H.264, Recording Speed 400fps.	5820
45		GDV-C4416A	16-Ch Standalone DVR with DVD-RW, Basic Internal Storage 1 TB, Storage Max. Expansion 8 TB, Audio Inputs :4 CH, RCA Audio Outputs: 1 CH, RCA , Alarm Inputs :16 contact input N/O or N/C Alarm Outputs : 2 Relay, Video Compression H.264, JPEG, Recording Speed 400fps.	18235
46		GRA-D4416A	DVR 960H ,16-Ch Standalone 16 CH Composite, BNC, Looped , Storage Max. Expansion 25TB , Audio Inputs :4CH, RCA ,Audio Outputs: 1 CH, RCA , Alarm Inputs :18 contact input N/O or N/C Alarm Outputs : 2 Relay, Video Compression H.264, Recording Speed 400fps.	14700
47		GDV-B8832A	32-Ch Standalone DVR with DVD-RW, Basic Internal Storage 1 TB , Storage Max. Expansion 8 TB Max. Expansion 8 TB, 32TB, Audio Inputs :4 CH, RCA Audio Outputs: 1 CH, RCA , Alarm Inputs :16 contact input N/O or N/C Alarm Outputs : 4 Relay, Video Compression H.264, JPEG, Recording Speed 800fps.	25800
Accessories for Grundig Digital Video Recorder				
48		GKB-A0110M	System Keyboard with LCD Display, Serial Interface(s): 1x RS-232, 1x RS-485, Control Up to 99 DVRs.	4650
49		GDS-R04A	External Storage for GDV-Series DVR	16900











50		GHT-24V	Fan/Heater kit for GCA-xxxxV series	470
51		GBR-WA03	Camera bracket	150
52		GBR-WA01	Wall bracket for GCA-BxxxxV series	630
		GBR-WA04	Wall bracket for GCH-KxxxxV, GCA-B432xV/B532xV	550
		GBR-WB02	Wedge Base for GCA-B432xV/532xV	275
		GBR-FB03	Junction Box for GCH-KxxxxT, GCA-Bx326T, GCA-B2357T	395
		GBR-PM02	Pole Mount Adapter for GCA-Bx326T, GCA-B2357T, GBR-WA04	530
		GBR-CE02	Pendant Mount Bracket for GCA-B432xV/532xV	585
		GBR-WA06	Wall bracket for GCA-BxxxxD, GCH-KxxxxD series	260
		GBR-CM02	Corner Mount Adapter for GCI-KxxxxV	705
		GBR-IC06	Ceiling Flush Mount Adapter for GCA-B432xD	360
		GBR-IC02	Flush Mount Adapter for Antivandal IP Camera	515
		GHO-M018	Outdoor Enclosure for GCI-KxxxxV IP Camera	755
		GBR-IC01	Ceiling Flush Mount Adapter for GCA-C0335P, GCI-C0835P	430
		GBR-IC05	Ceiling Flush Mount Adapter for GCI-K0779P	636.4
		GBR-WA02	Wall Bracket for GBR-AM01/AM03,GCI-C0745P/K1779P,GHO-M018	635
		GBR-PM01	Pole Mount Adapter for GBR-WA02	755

		GBR-AM01	Hanging Mount Adapter for GCI-C0835P, GCA-C0335P/C0345P	755
		GBR-AM02	Adapter for Pelco Pendant Mount with 1,5" NPT thread for GCI-C0745/K1779P,	275
		GBR-AM03	Hanging mount adapter for GCI-K0779P	755
		GBR-CE01	PendantMountBracket for GBR-AM01/AM03,GCI-C0745P/K1779P,GHO-M018	755
		GBR-CM01	Corner Mount Adapter for GBR-WA02	515
		GBR-IC03	Ceiling Flush Mount Adapter for GCA-C0345P	515
		GBR-FB02	Base for GCH-KxxxxV series	445
		GBR-IC04	Ceiling Flush Mount Adapter for GCA-BxxxxV	960
55		GBR-WB01	Wedge Base for GCA-BxxxxV Serie	145
56		GBR-VC01	Clear dome cover for GCA-BxxxxV	68
57		GBR-VC01S	Smoked dome cover for GCA-BxxxxV series	70

Monitors

Colour Monitors LCD/TFT

58		GMT-1031P	27 cm (10.4") LCD/TFT Monitor	3059
59		GML-1030MD	24.6 cm (9.7") LCD/TFT Dual Rackmount Monitor LED Backlight	11172
60		GML-1730M	43 cm (17") LCD/TFT Monitor with LED Backlight	4009
61		GML-1930M	48 cm (19") LCD/TFT Monitor with LED Backlight	4370
62		GML-1931M	48 cm (19") LCD/TFT Monitor LED Backlight Metal Case	5377

63		GML-2230M	54.6 cm (21.5") LCD/TFT Monitor LED Backlight	5130
64		GML-2430M	61 cm (23.6") LCD/TFT Monitor LED Backlight	5567
Monitor Accessories				
65		GBR-RM01	Monitor Bracket	660
66		GAM-B0103A	Power Supply Bracket for VESA Adapter	340
67		GBR-M31561	Monitor Bracket 37~50" max 75kg load	1340
68		GBR-M31560	Monitor Bracket 23~37" max 40kg load	1000
Motorized Dome Cameras				
Accessories for Analog Motorized Dome Cameras				
69		GAC-C1731A	Video, Audio, Alarm, Power Cable for GCA-C0245P, GCI-C0745P	360
70		GAC-B0502A	Vandal Resistant Dome Cover for GCA-C0245P, GCI-C0745P, GCI-Kx779P	960
71		GAC-B0202A	Smoked Dome Cover for GCA-C0345P	500
72		GBR-IC03	Ceiling Flush Mount Adapter for GCA-C0345P	580