
















































CCTV Price List				
#	Image	Model No.	Description	price
<b>IP Cameras &amp; Domes</b>				
<b>IP Megapixel Cameras</b>				
1		GCI-K1603B	2 Megapixel Full HD(1/2.7") CMOS Box IP-Camera Soft D/N, H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card , Bidirectional Audio Support, Power Input DC12V and PoE, 0.5 Lux, Motion Detection, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones.	3060
2		GCI-K1503B	2 Megapixel Full HD(1/2.7") CMOS Box IP-Camera ICR, H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card , Bidirectional Audio Support, Power Input AC24V/DC12V and PoE, 0.5 Lux, Motion Detection, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones.	3850
3		GCI-K1607B	2 MP Full HD CMOS Box IP-Camera ICR dWDR, H.264 & MJPEG, SD/SDHC memory card, Bidirectional Audio Support, Power Input AC24V/DC12V and PoE, 0.5 Lux, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones, Motion Detection, Digital Zoom.	3260
4		GCI-G0509B	5 Megapixel Full HD (1/2.5") CMOS Box IP-Camera ICR WDR, H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card , Bidirectional Audio Support, Power Input AC24V/DC12V and PoE, 0.5 Lux, Motion Detection, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones.	4830
5		GCI-F0505B	3 MP Full HD(1/2.8") CMOS Box IP-Camera ICR WDR, H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card , Bidirectional Audio Support, Power Input DC12V and PoE, 0.5 Lux, Motion Detection, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones.	5000
6		GCI-K3505B	2 MP Full HD Box IP-Camera ICR WDR AutoBackFokus NEW	4900
7		GCI-H2505B	1.3 MP HD CMOS Box IP-Camera ICR WDR Low Light, H.264 & MJPEG, SD/SDHC memory card, Bidirectional Audio Support, Power Input AC24V/DC12V and PoE, 0.03 Lux, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones, Motion Detection, Digital Zoom.	4600
8		GCI-k2505B	2 MP Full HD Box IP-Camera ICR WDR Low Light, H.264 & MJPEG, SD/SDHC memory card, Bidirectional Audio Support, Power Input AC24V/DC12V and PoE, 0.03 Lux, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones, Motion Detection, Digital Zoom, RS-485 interface.	4600

9		GCI-K1555Z	Low Light, H.264 & MJPEG, SD/SDHC memory card, Bidirectional Audio Support, Power Input AC24V/DC12V and PoE, 0.2 Lux, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones, Motion Detection, Digital Zoom, RS-485 interface.	9000
10		GCI-K1526T	2 Megapixel Full HD(1/2.7") CMOS Bullet IP-Camera ICR IR 23 LED,H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card ,IP66, Bidirectional Audio Support, Power Input AC24V/DC12V and PoE, 0 Lux, Motion Detection, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones.	5740
11		GCI-K1526TH	2 Megapixel Full HD(1/2.7") CMOS Bullet IP-Camera <b>ICR IR 23 LED w/Heater</b> , Focal Length 3 ~ 9 mm, digital zoom, H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card ,IP66, Power Input AC24V/DC12V and PoE, 0Lux, 1 alarm i/p & 1 alarm output.	6000
12		GCI-K0589T-1	2 Megapixel Full HD (1/2.7")CMOS Bullet IP-Camera <b>ICR IR LED, Motorized</b> Vario Focal lens (Zoom & Focus) 3 ~ 9 mm, H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card ,IP66, Power Input AC24V/DC12V and PoE, 0Lux, IR Distance 15/25 m.	6500
<b>IP Megapixel Fixed Dome Camera</b>				
14		GCI-K2812W	2 MP Full HD <b>Flat</b> Fixed Dome IP-Camera Soft D/N,H.264 & MJPEG compression modes (max. 25 fps), Lens: f = 3.6 mm, SD/SDHC memory card slot,, Power: PoE , 0.6Lux, Vandal Resistant Dome ( <b>IK10</b> ), Privacy zones: 2 zones. IP66 ,	3300
15		GCI-H2812W	2 MP Full HD <b>Flat</b> Fixed Dome IP-Camera Soft D/N dWDR, H.264 & MJPEG compression modes (max. 25 fps), Lens: f = 3.6 mm, SD/SDHC memory card slot, Power: PoE , 0.6Lux, Privacyzones: 5 zones.	2200
16		GCI-F2812W	3 MP Full HD Flat Fixed Dome IP-Camera 3.6mm Soft D/N ,Digital Zoom: 8x, H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card slot, <b>IP66</b> ,Power: PoE , 0.6Lux, Privacy zones: 5 zones.	2780
18		GCI-K1523V	2 MP Full HD VF Dome IP-Camera <b>3~9mm ICR WDR</b> , H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card , <b>IP66</b> , Power Input AC24V/DC12V and PoE, 0.5Lux, 1 alarm i/p & 1 alarm output, Vandal Resistant Dome ( <b>IK10</b> ), Privacy zones: 5 zones <b>wall mountable</b> .	4660
19		GCI-K1523D	2 MP Full HD VF Dome IP-Camera 3~9mm <b>ICR DWDR</b> , H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card , Power Input AC24V/DC12V and PoE, 0.5Lux, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones, 3 Way Axis Gimbal,.	4470
20		GCI-K1526V	2 MP Full HD VF Dome IP-Camera 3~9mm <b>ICR WDR IR 23 LED</b> , SD/SDHC memory card ,IP66, Power Input AC24V/DC12V and PoE, 0Lux, 1 alarm i/p & 1 alarm output, Vandal Resistant Dome ( <b>IK10</b> ), Privacy zones: 5 zones, IR Distance 15/25 m <b>wall mountable</b> .	5380
21		GCI-K1526D	2 MP Full HD VF Dome IP-Camera 3~9mm <b>ICR IR 23 LED</b> , SD/SDHC memory card , Power Input AC24V/DC12V and PoE, 0.5Lux, 1 alarm i/p & 1 alarm output, Privacy zones: 5 zones, IR Distance 15/25 m.	4470






22		GCI-K1526VH	2 MP Full HD VF Dome IP-Camera 3~9mm <b>ICR WDR IR 23 LED With Fan &amp; heater</b> , H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card , <b>IP66</b> , Power Input AC24V/DC12V and PoE, 0Lux, 1 alarm i/p & 1 alarm output, Vandal Resistant Dome (IK10), Privacy zones: 5 zones, IR Distance 15/25 m <b>wall mountable</b> .	5600
		GCI-K1526V(S)	2 MP Full HD VF Dome IP-Camera 3~9mm ICR IR 24 LED WDR	5360
23		GCI-K1585V-1	2 MP Full HD VF Dome IP-Camera 3~9mm <b>ICR WDR</b> , <b>Motorized zoom</b> Vario Focal lens (Zoom & Focus) 3 ~ 9 mm,dual stream, SD/SDHC memory card , <b>IP66</b> , Power Input AC24V/DC12V and PoE, 0.5Lux.	5850
24		GCI-K1523V(S)	2 MP Full HD VF Dome IP-Camera 3~9mm <b>ICR WDR</b> , H.264 & MJPEG compression modes (max. 25 fps), SD/SDHC memory card , <b>IP66</b> , Power Input AC24V/DC12V and PoE, <b>0.03Lux</b> , 1 alarm i/p & 1 alarm output, Vandal Resistant Dome (IK10), Privacy zones: 5 zones, 3 Way Axis Gimbal, <b>wall mountable</b> .	4900
25		GCI-K1586V	2 MP Full HD VF Dome IP-Camera 3~9mm <b>ICR WDR IR 23 LED</b> , <b>Motorized zoom</b> Vario Focal lens (Zoom & Focus) 3 ~ 9 mm,, SD/SDHC memory card , <b>IP66</b> , Power Input AC24V/DC12V and PoE, 0Lux <b>wall mountable</b> .	6100
<b>IP Hybrid Motorized Dome Cameras</b>				
28		GCI-C0735P	<b>Indoor</b> Motorized Dome IP-Camera <b>12x Zoom ICR WDR (1/4")</b> CCD, Full D1, Colour/B&W speed Dome Camera (720x576), 12x motorized optical zoom with 12x digital zoom WDR function, Colour/B&W function with removable IR cut filter, Vandal Resistant Dome ( <b>IK10</b> ), H.264 Main Profile compression mode (dual codec, 25 fps max), ONVIF protocol support, SD/SDHC memory card slot for alarm and schedule image recording High Speed Pan/Tilt (400°/sec), minimum speed (1°/sec), Bidirectional Audio Support.	8857
29		GCI-C0835P	<b>Indoor</b> Motorized Dome IP-Camera <b>12x Zoom ICR WDR PoE</b> , 1/4")CCD, Full D1, Colour/B&W speed Dome Camera (720x576), <b>12x</b> motorized optical zoom with 12x digital zoom WDR function, Colour/B&W function with removable <b>IR cut filter</b> , Vandal Resistant Dome ( <b>IK10</b> ), H.264 Main Profile compression mode (dual codec, 25 fps max), ONVIF protocol support, SD/SDHC memory card slot for alarm and schedule image recording High Speed Pan/Tilt (400°/sec), minimum speed (1°/sec), Bidirectional Audio Support.	11670
30		GCI-C0745P	<b>Outdoor</b> Motorized Dome IP-Camera <b>36x Zoom ICR WDR</b> , Full D1, Colour/B&W speed Dome Camera (720x576), <b>36x</b> motorized optical zoom with 12x digital zoom WDR function, Colour/B&W function with removable IR cut filter, Vandal Resistant Dome (IK10) Weatherproof Outdoor Installation (IP66), H.264 Main Profile compression mode (dual codec, 25 fps max), ONVIF protocol support, SD/SDHC memory card slot for alarm and schedule image recording, High Speed Pan/Tilt (400°/sec), minimum speed (0.5°/sec), Bidirectional Audio Support.	14600
<b>IP Megapixel Motorised Dome Cameras</b>				












31		GCI-K0779P	2 Megapixel Full HD <b>Indoor</b> Motorized Dome IP-Camera <b>18x Zoom ICR WDR, hPoE</b> , Full HD, 1920 x 1080p, 25/30 fps, WDR function, Colour/B&W function with removable <b>IR cut filter</b> H.264 & MJPEG compression modes, ONVIF protocol support, Micro SD/SDHC memory card slot for alarm image recording, High Speed Pan/Tilt (400°/sec), minimum speed (0.5°/sec) Bidirectional Audio Support.	1700
		GCI-K2795P	2 MP Full HD Outdoor Motorized Dome IP-Camera 30x Zoom ICR WDR NEW	20500
32		GCI-K1779P	2 Megapixel Full HD <b>Outdoor</b> Motorized Dome IP-Camera <b>18x Zoom ICR WDR, hPoE</b> , Full HD, 1920 x 1080p, 25/30 fps, Vandal Resistant Dome ( <b>IK10</b> ), WDR function, Colour/B&W function with removable <b>IR cut filter</b> , H.264 & MJPEG compression modes, ONVIF protocol support Micro SD/SDHC memory card slot for alarm image recording, High Speed Pan/Tilt (400°/sec), minimum speed (0.5°/sec), Bidirectional Audio Support.	17300
33		GPC-B0701A	Auto Tracking Licence for GCI-Kx779P	1275
<b>Accessories for IP Cameras &amp; Domes</b>				
34		GBR-AM01	Hanging Mount Adapter for GCI-C0735P, GCA-C0335P/C0345P	748
35		GBR-AM02	Adapter Ring for Pelco Pendant Mount with 1,5" NPT thread	272
36		GBR-AM03	Hanging mount adapter for GCI-K0779P	765
37		GBR-CE01	Pendant Mount Bracket or GBR-AM01/AM03, GCI-C0745P, GCI-K1779P, GHO-M018	765
38		GBR-CM01	Corner Mount Adapter for GBR-WA02	510
39		GBR-CM02	Corner Mount Adapter for AV Fixed Dome IP Camera	714
40		GBR-IC01	Ceiling Flush Mount Adapter for GCA-C0335P, GCI-C0735P	442
41		GBR-IC02	Flush Mount Adapter for Antivandal IP Camera	527





42		GBR-IC05	Ceiling Flush Mount Adapter for GCI-K0779P	629
43		GHO-M018	Outdoor Enclosure for AV Fixed Dome IP Camera	765
44		GBR-PM01	Pole Mount Adapter	765
45		GBR-VC02S	Smoked dome cover for GCI-xxxxxV	221
46		GBR-WA02	Wall Bracket for the Motor Dome Cameras GBR-AM01/AM03,GCI-C0745P/K1779P,GHO-M018	629
47		GLE-B2800M	1/2.7" Board Lens 2.8mm M12 for GCI-H0812W; GCI-K1812W	391
48		GAC-C1731A	Video, Audio, Alarm, Power Cable for GCI-C0745P	323
49		GBR-SN02	Swan Neck Mount Adapter for PTZ Dome Range, GCI-C0745P, GCI-K0779P, GCI-K1779P,GCA-C0245P, GCA-C0345P, GCH-K0274P	2499

## Monitors

### Colour Monitors LCD/TFT

50		GMT-1031P	27 cm (10.4") LCD/TFT Monitor	2771
51		GML-1030MD	24.6 cm (9.7") LCD/TFT Dual Rackmount Monitor LED Backlight	9996
52		GML-1730M	43 cm (17") LCD/TFT Monitor with LED Backlight	3757
53		GML-1930M	48 cm (19") LCD/TFT Monitor with LED Backlight	4080
54		GML-1931M	48 cm (19") LCD/TFT Monitor LED Backlight Metal Case	5049

55		GML-2230M	54.6 cm (21.5") LCD/TFT Monitor LED Backlight	4590
56		GML-2430M	61 cm (23.6") LCD/TFT Monitor LED Backlight	4998
<b>Monitor Accessories</b>				
57		GBR-RM01	Monitor Bracket	561
58		GAM-B0103A	Power Supply Bracket for VESA Adapter	289
59		GBR-M31561	Monitor Bracket 37~50" max 75kg load	1139
60		GBR-M31560	Monitor Bracket 23~37" max 40kg load	1000
<b>Network Recorders</b>				
61		GRI-K1104A	4-Ch Full HD Standalone H.264 NVR, Storage Max. Expansion: 17.5 TB, Video Outputs:1HDMI, Audio Inputs :4 CH over IP, Audio Outputs: 1 CH, RCA,Recording Speed 100fps.	9400
63		GRI-K2208A	8-Ch Full HD Standalone H.264 NVR,Storage Max. Expansion: 17.5 TB, Video Outputs:1HDMI, Audio Inputs :8 CH over IP, Audio Outputs: 1 CH, RCA,Recording Speed 200 fps.	12600
65		GRI-K4416A	16-Ch Full HD Standalone H.264 NVR, Storage Max. Expansion 25 TB, Video Outputs: 1 VGA, 1 HDMI, Audio Inputs :16 CH over IP, Audio Outputs: 1 CH, RCA,Recording Speed 400 fps.	21400
<b>IP Copper</b>				
67		GTI-F0022C	Ethernet transmission (VDSL2) over coaxial cable (pair)	2618
68		GTI-F0025N	Ethernet transmission (VDSL2) over telephone cable (pair)	2601

69		GTI-F0811E	PoE Extender IEEE802.af, 2W/100m, cascable	850
70		GAX-P9830A	High Power Gigabit Ethernet Injector IEEE802.at	748
<b>IP Fiber</b>				
71		GTI-F1026F	10/100BaseTX to 100BaseFX Media Converter (ST,MM,2km)	680
<b>Encoder TCP/IP</b>				
72		GEC-D2201AR	1-Ch Video/ Audio Encoder D1 Dual Stream H.264/MJPEG	2754